

**Table A1. Healthy People 2000 Sexually Transmitted Diseases Objective 19.1–19.8 Status**

<i>Objective</i>		<i>Baseline</i>	<i>1994</i>	<i>1995</i>	<i>1996</i>	<i>1997</i>	<i>1998</i>	<i>2000</i>	
		<i>Year</i>							<i>Baseline</i>
<b>19.1</b>	<b>Gonorrhea (per 100,000 persons)</b>	1989	300	166	149	123	122	133	100
	a. Black (non-Hispanic)	1989	1,990	1,163	1,046	817	802	862	650
	b. Adolescents 15-19 years	1989	1,123	734	671	544	522	561	375
	c. Female 15-44 years	1989	501	315	299	259	261	292	175
<b>19.2</b>	<b>Chlamydia prevalence among females 15-24 years</b>								
	Female 15-19 years	1988	12.2%	—	6.7%	5.4%	—	6.9%*	5%
	Female 20-24 years	1988	8.5%	—	4.2%	3.4%	—	4.4%*	5%
<b>19.3</b>	<b>Primary and secondary syphilis (per 100,000 persons)</b>	1989	18.1	7.9	6.3	4.3	3.2	2.6	4
	a. Black	1989	118	57	45	30	22	17	30
<b>19.4</b>	<b>Congenital syphilis (per 100,000 live births)</b>	1990	91.0	55.8	47.4	33.3	27.5	20.6	40
	a. Black	1992	<sup>a</sup> 417.8	249.6	213.2	150.5	122.7	87.0	175
	b. Hispanic	1992	<sup>a</sup> 134.6	73.8	61.2	38.9	33.5	27.9	50
<b>19.5</b>	<b>Annual number of first time consultations<sup>1</sup></b>								
	Genital herpes	1988	163,000	142,000	160,000	208,000	176,000	188,000	138,500
	Genital warts	1988	290,000	238,000	253,000	191,000	145,000	211,000	246,500
<b>19.6</b>	<b>Pelvic inflammatory disease</b>								
	Hospitalizations per 100,000 females 15-44 years	1988	311	177	162	164	157	—	100
	Initial visits to physicians (number of visits) <sup>1</sup>	1988	430,800	332,000	262,000	286,000	261,000	234,000	290,000
	Hospitalizations per 100,000 females								
	a. Black 15-44 years	1988	655	378	296	320	281	—	150
	b. Adolescents 15-19 years	1988	342	184	141	168	186	—	110
<b>19.7**</b>	<b>Sexually transmitted Hepatitis B (number of cases)</b>	1987	47,593	35,077	<sup>2</sup> 29,446	—	—	—	30,500
<b>19.8</b>	<b>Repeat gonorrhea infection in last 12 months</b>	1987	20%	18.6%	18.4%	18.5%	17.0%	17.5%	15%
	a. Black	1992	21.3%	20.3%	20.1%	19.8%	18.3%	18.6%	17%

—Data not available.

<sup>a</sup>Baseline has been revised.

<sup>1</sup>As measured by first-time visits to physicians' offices.

<sup>2</sup>Data are provisional.

NOTE: Data include revisions and, therefore, may differ from data previously published in these reports and other publications.

**Data Sources**

Objective number	Data Source
19.1, 19a-c	Sexually Transmitted Disease Surveillance System, CDC, NCHSTP.
19.2	Sexually Transmitted Disease Surveillance System, CDC, NCHSTP.
19.3, 19.3a	Sexually Transmitted Disease Surveillance System, CDC, NCHSTP.
19.4	Sexually Transmitted Disease Surveillance System, CDC, NCHSTP.
19.5	National Disease and Therapeutic Index, IMS America, Ltd.
19.6, 19.6a-b	For hospitalizations, National Hospital Discharge Survey, CDC, NCHS. For number of visits, National Disease and Therapeutic Index, IMS America, Ltd.
19.7**	Viral Hepatitis Surveillance System, CDC, NCID.
19.8	Gonococcal Isolate Surveillance Project, CDC, NCHSTP.

\*Positivity not adjusted for changes in laboratory test method in 1998 and associated increases in test sensitivity.

\*\*Duplicate Objective.